




*The complete decking system  
for total peace of mind*

Now featuring | Trex Transcend® Decking & Railing System

**arbordeck**  
the complete decking system









## Style, sustainability, performance and peace of mind

Arbordeck, manufactured by a British company with over 170 years' experience in the timber industry, is one of the few manufacturers to offer a full Chain of Custody certified decking system.

Our wide choice of boards includes smooth and grooved softwoods, an enhanced grip deck board, hardwood boards and new this year an environmentally friendly, hard wearing wood-alternative decking manufactured from recycled plastics and reclaimed wood products.

Arbordeck provides a total system including boards, joists, and a wide selection of balustrades with a range of finishes for both domestic and commercial applications.

Ideal for the DIY enthusiast, Arborail railing kits available in ten distinctive styles offer an economical and convenient way to quickly build the deck of your dreams.

- 04 Taking sustainability seriously
- 06 Designed to make a difference
- 08 Creating space, transforming difficult areas
- 10 Specifiers' choice for commercial applications
- 12 Arborail
- 14 Fully integrated system
- 16 Trex Transcend®





A photograph of a wooden deck at night. The deck is made of light-colored wood and features a round wooden table in the foreground, a wooden chair, and several potted plants. The deck is illuminated by warm, ambient lighting, including a bright light source near a glass door and several small, glowing lights along the edge of the deck. A greenhouse is visible in the background on the left.

*At Arbordeck we  
only use legally  
sourced, **quality**  
European timbers*






The Arbordeck timber range is Chain of Custody certified providing a traceability system that ensures our products come from well-managed sources.

We're founder members of Forests Forever, the environmental voice of the industry and we work closely with both PEFC and FSC.

But sustainability is also about providing a lasting product, which is why we treat all Arbordeck components, including the ones you don't see when your deck is complete, with Naturewood, an advanced water-borne preservative for longer life.

**Two simple steps to extend the life of your deck**

1. Ensure an end-grain preservative is applied to:
  - a. any cuts, notches, drill or nail holes you make in the timber
  - b. any other area where non-treated timber is exposed
2. All sub-frame and support timbers must be raised above ground level. For example install support posts using post bases.




The mark of responsible forest management



PEFC/16-37-009





## The design of your deck will **make a real difference** to the way you use your home and your garden

It's one of the most cost-effective and practical ways to extend your indoor space into your garden and by clever changes of board direction, a mix of smooth and grooved boards, the introduction of different shapes and levels or your selection of balustrade style, you really can create an individual design statement.

Add special design features with deck planters and seating, introduce low-voltage lighting


and a simple gazebo and you really will have a deck for all seasons.

*Q: Isn't a deck simply a functional solution to garden problems?*

*A: It's more than that; your deck can incorporate so many different design features that it becomes an attractive, versatile all year round integrated living space.*











## Arbordeck can also provide a truly *practical solution* to difficult areas

Steeply sloping sites for example, can be difficult to garden and hard to utilise. But with the introduction of a relatively straightforward deck the space can be reclaimed to become a great area for relaxing and entertaining or simply a practical play area for the kids.


And where garden storage becomes a problem, the space

below decks can be the ideal solution.

*Q: Does Arbordeck supply the support timbers necessary for sloping site applications?*

*A: Yes, we provide a full range of components including joists, support posts and ironmongery.*









# Arbordeck is the *specifiers' choice* for commercial *applications*

Strong environmental accreditations and a wide choice of materials and finishes makes Arbordeck the natural choice for the specifier.

Specified on projects as diverse as schools and leisure parks, office break-out areas, restaurants, pubs and clubs, Arbordeck is more than a match for the most demanding applications.

And with a selection of materials which includes Chain of Custody certified softwood boards, an enhanced grip aggregate finish,

hardwood and a new, environmentally friendly, hardwearing wood-alternative board, the choice couldn't be greater.

*Q: How can we specify Arbordeck?*

*A: Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) for a nationwide list of stockists from which your installer will be able to arrange delivery direct to site. If you would like to contact a TDA registered installer please contact us at [enquiries@arbordeck.co.uk](mailto:enquiries@arbordeck.co.uk)*







# Arborail railing kits offer a quick, simple and economical way to build the deck of your dreams

## Arborail starter kits

Available in ten distinctive styles, the Arborail range of starter kits include the handrail, two newel posts, base rail and a choice of spindles; all ironmongery, fixings, caps and fitting instructions - everything you need to complete your deck.

Overall finished size including two newels: approximately 1.98m.

## Arborail extender kits

The ultimate in flexibility, Arborail extender kits can be added together to provide any desired rail length. Available in all ten designs, the kits comprise of a handrail, one newel post, base rail, a choice of spindles, all ironmongery and fixings, caps and fitting instructions.

Overall finished size including one newel: approximately 1.89m.

## Convenience in kit form

All Arborail kits are professionally boxed and are much easier and more convenient to handle than loose railing products.

*Each kit is designed for domestic decks with a deck board height of no greater than 600mm from ground level. For higher decks please consult a TDA registered installer.*





arborail® Classic range



**Kit 1** Turned starter kit  
**Kit 1a** Turned extender kit



**Kit 2** Stop Chamfered starter kit  
**Kit 2a** Stop Chamfered extender kit



**Kit 3** Square starter kit  
**Kit 3a** Square extender kit

arborail® Contemporary



**Kit 4** Contemporary starter kit  
**Kit 4a** Contemporary extender kit




**Kit 5** Chevron starter kit  
**Kit 5a** Chevron extender kit




**Kit 6** Sunset starter kit  
**Kit 6a** Sunset extender kit

arborail® Aluminium range



**Kit 7** Black Baroque starter kit  
**Kit 7a** Black Baroque extender kit



**Kit 8** Black Arc starter kit  
**Kit 8a** Black Arc extender kit



**Kit 9** Classic Black starter kit  
**Kit 9a** Classic Black extender kit

arborail® Safety Glass range



**Kit 10** Clear Safety Glass starter kit  
**Kit 10a** Clear Safety Glass extender kit





# Fully integrated system of components

## Premium Grade Deck Boards (depth / width)

001. **Smooth & Grooved Reversible Board**  
33mm x 120mm  
Lengths: from 2.4m up to 5.4m  
Code: g038125RE

002. **Smooth & Grooved Reversible Board**  
27.5mm x 118mm  
Lengths: from 2.4m up to 5.4m  
Code: g032125REV

003. **Hardwood Grooved & Reeded Reversible Board**  
21mm x 145mm  
Lengths: Various  
Code: g021145RE

004. **Hardwood Grooved & Reeded Reversible Board**  
28mm x 145mm  
Lengths: Various  
Code: g028145RE

005. **Hardwood Smooth & Grooved Reversible Board**  
19mm x 90mm  
Lengths: Various  
Code: g019090RE

## Deck Boards (depth / width)

006. **Grooved & Reeded Reversible Board**  
27.5mm x 144mm  
Lengths: from 2.4m up to 5.4m  
Code: g032150RE

007. **Smooth & Grooved Reversible Board**  
27mm x 145mm  
Lengths: from 2.4m up to 5.4m  
Code: g032150REV

008. **Enhanced Grip Board**  
33mm x 120mm  
Lengths: 4.5m  
Code: mrg038125AGGR

009. **Reversible Board**  
20mm x 95mm  
Lengths: 3.0m, 3.6m, 4.2m, 4.8m  
Code: g025100RDC

010. **Smooth & Grooved Reversible Board**  
27.5mm x 118mm  
Lengths: 3.0m, 3.6m, 4.2m, 4.8m  
Code: g032125RED

011. **Grooved & Reeded Reversible Board**  
33mm x 120mm  
Lengths: 3.0m, 3.6m, 4.2m, 4.8m  
Code: g038125RED



## Joists, Rails & Support Timber

(depth / width / length)

012. **Standard Joist**  
Regularised, graded and treated to Use Class 3 (Use Class 4 on request)  
45mm x 97mm  
Lengths: 2.4m, 3.0m, 3.6m, 4.8m  
Code: g047100TJ  
45mm x 145mm  
Lengths: 2.4m, 3.0m, 3.6m, 4.2m, 4.8m  
Code: g047150TJ

013. **Utility Rail**  
For use as both hand and base rail  
30mm x 62mm x 1.8m  
Code: g032066TR  
30mm x 62mm x 3.6m  
Code: g032066TR36


014. **Contemporary 4 Smooth Rail & Smooth Deck Board**  
For use as both rail and deck board  
33mm x 95mm  
Lengths: 3.6m, 4.8m  
Code: g038100TR

015. **Contemporary 6 Smooth Rail & Smooth Deck Board**  
For use as both rail and deck board  
33mm x 145mm  
Lengths: 3.6m, 4.8m  
Code: g038150TR

016. **Planed Support Post**  
Treated to Use Class 4 for in-ground contact  
94mm x 94mm x 2.4m  
Code: mrg100100TP

016a. **Turned Support Newel**  
Treated to Use Class 4 for in-ground contact  
90mm x 90mm x 1.8m  
Code: g090090TT18

016b. **Chamfered Support Newel**  
Treated to Use Class 4 for in-ground contact  
90mm x 90mm x 1.8m  
Code: g090090SC18





## Spindles, Newels & Infill panels

(depth / width / length)

### 017. Turned Spindle

41mm x 41mm x 0.9m  
Code: g041041TTS

### 018. Stop Chamfered Spindle

41mm x 41mm x 0.9m  
Code: g041041SCTS

### 019. Square Spindle

41mm x 41mm x 0.9m  
Code: g041041TS

### 020. Modern Spindle

With 45 degree chamfer at the base  
41mm x 41mm x 1.0m  
Code: g041041

### 021. Turned Newel

90mm x 90mm x 1.25m  
Code: g090090TTN

### 022. Stop Chamfered Newel

90mm x 90mm x 1.2m  
Code: g090090SCTN

### 023. Square Newel

90mm x 90mm x 1.2m  
Code: g090090TNP

### 024. Patrice Newel



83mm x 83mm x 1.2m  
Code: g083083TPN

### 025. Chevron Panel

32mm x 760mm x 1130mm  
Code: mrgINFILLCHEV

### 026. Sunset Panel

32mm x 760mm x 1130mm  
Code: mrgINFILLSUN



## Deckorators™ System

### 027. Classic Balusters

Available in Black  
Code: gDECBLK10

### 027a. Classic Balusters - Connectors

Code: gDECCONNECT

### 027b. Classic Balusters - Stair Connectors

Code: gDECSTAIRC

### 028. Baroque Balusters

Available in Black  
Code: gDECBBLK05

### 029. Arc Balusters


Available in Black  
Code: gDECARKBLK

### 030. 5 Panel Safety Glass Balusters Pack

Available in Clear  
Code: gDECGLASSC

### 031. Deckorators™ Post Cap

Black cap that works with Square & Stop Chamfered Newel Posts  
Code: gDECBLKCAP



## Brackets, Finials, Stair Stringers & Treatments

### 032. 3 Step Stringers

Code: gaSTRING3

### 033. 2 Step Stringers

Code: gaSTRING2

### 034. Composite Bench Bracket

Code: gDZBBPTG01

### 035. Composite Stair Bracket

Code: gDZSBPTG01

### 036. Patrice Cap

Code: gaPATCAP110

### 037. Ball Cap

Code: gaBALLCAP

### 038. Temple Cap

Code: gaTEMPLECAP125

### 039. End-grain preservative (1.0L)

Must be applied to any cuts or notches made to the timber during construction to maintain the integrity of the preservative treatment.  
Code: gtENDCOAT1







Looking for a low maintenance deck that doesn't fade, stain, rot or scratch?

Trex Transcend® is the product for you.

Ideal for commercial or residential projects, Trex® is 95% made from recycled materials such as plastic and wood waste.

The finished product provides an extremely weather-resistant board which is hard to damage, won't warp or splinter, will never require staining or painting and will look as good in years to come as it does today.

Where convenience and low-maintenance are paramount, Trex® offers a genuinely sustainable solution.

For more information, details on the manufacturers warranty offered and to request a Trex® brochure please contact Arbordeck.

**Trex® Transcend®**  
DECKING & RAILING SYSTEM


**25**  
YEAR TREX LIMITED  
RESIDENTIAL  
WARRANTY

**10**  
YEAR TREX LIMITED  
COMMERCIAL  
WARRANTY






Decking: Trex Transcend® Gravel Path




Trex Transcend® cleans up easily  
Decking: Trex Transcend® Gravel Path








Decking: Trex Transcend® Lava Rock



Decking: Trex Transcend® Spiced Rum



Decking: Trex Transcend® Spiced Rum & Vintage Lantern



# Trex® Transcend®

DECKING & RAILING SYSTEM



Gravel Path



Lava Rock



Spiced Rum




Tree House



Vintage Lantern

Decking: Trex Transcend® Tree House & Vintage Lantern





# Trex® Transcend®

DECKING & RAILING SYSTEM

## Deck & Fascia Boards

(depth / width / length)  
 Available in: Gravel Path, Lava Rock, Spiced Rum, Tree House and Vintage Lantern

- T001. **Grooved Edge Board**  
 25mm x 140mm x 3.66m  
 25mm x 140mm x 4.88m
- T002. **Starter / Finishing Board**  
 25mm x 140mm x 3.66m  
 25mm x 140mm x 4.88m
- T003. **Fascia Board**  
 19mm x 184mm x 3.66m  
 19mm x 305mm x 3.66m



T001.



T002.



T003.

## Railing & Tools (depth / width / length)

Available in: Vintage Lantern and Tree House

- T004. **Post Sleeve**  
 102mm x 102mm x 0.991m
- T005. **Post Sleeve Skirt**  
 102mm x 102mm
- T006. **Square Baluster**  
 35mm x 35mm x 0.924m
- T007. **Flat Post Sleeve Cap**  
 102mm x 102mm
- T008. **Top & Bottom Rail Kit**
- T008a. **Top & Bottom Stair Rail Kit**
- T009. **Start/Stop Clip**  
 Stainless steel
- T010. **Universal Fastener**  
 Plastic



T005.



T007.



T009.




T010.



T006.



T004.



T008.







### How to buy Arbordeck

Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) or contact us by phone, fax or email to find your local stockist.

### How to build Arbordeck

Are you a DIY enthusiast? Visit [www.arbordeck.co.uk](http://www.arbordeck.co.uk) and download our How To Build brochure. Alternatively contact us by phone, fax or email for the brochure to be posted to you.

If you would like your deck professionally installed please contact us and we can put you in touch with a Timber Decking Association 'DeckMark™ accredited' installer.

### Timber is a natural product

Arbordeck is manufactured from natural timbers and, when exposed to the elements, there may be some surface degradation, movement and checking due to the action of sunlight and moisture. This is a natural process and does not affect the strength of the timber.

The colour of your decking will change naturally over time too. Some options available are to apply a regular coat of maintenance oil; completely change your decks appearance with the addition of paint and stains or alternatively leave it to weather naturally to an attractive silver-grey.



The mark of responsible forest management



DeckMark™ is a quality assurance scheme introduced by the Timber Decking Association to confirm manufacturers compliance with Best Practice guidance and all relevant British Standards. For further information please contact the TDA on 01977 558147.



Arbordeck uses timber from forest sources that are managed to strict international environmental standards.

**arborforest**  
Products Ltd

**Arbor Forest Products Ltd**  
Barrow Road, New Holland  
North Lincolnshire  
DN19 7RR

**Tel** 01469 532300  
**Fax** 01469 531867  
**Email** [sales@arborforestproducts.co.uk](mailto:sales@arborforestproducts.co.uk)  
**Web** [www.arbordeck.co.uk](http://www.arbordeck.co.uk)

The information contained within this publication is given in good faith. Every effort has been made to ensure that the guidance given is accurate and Arbordeck cannot accept any liability for loss or damage arising from the information contained herein. All photography and colours are reproduced as accurately as the print process will allow. The installers whose projects are shown in this brochure are independently owned and operated, and are neither affiliated with nor agents or representatives of Arbordeck. Arbordeck makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of these installers.

Arbordeck would like to thank the following for their assistance in providing the projects photographed in this brochure:

#### Front cover

Image courtesy of Trex®

#### Inside front

All images: Timberscapes Leeds

#### 03

Large image: Atkins Vause Blackburn  
Bottom left: Atkins Vause Blackburn  
Bottom centre: GMS Leisure Ltd Truro  
Bottom right: Atkins Vause Blackburn

#### 04

Timberscapes Leeds

#### 05

Top: Timberscapes Leeds  
Left centre: Atkins Vause Blackburn  
Bottom left: Timberscapes Leeds  
Right: Timberscapes Leeds

#### 06

Top left: Atkins Vause Blackburn  
Centre: Distinctive Landscapes Mansfield  
Bottom left: Atkins Vause Blackburn  
Main: Timberscapes Leeds

#### 07

Top: Timberscapes Leeds  
Bottom left: Timberscapes Leeds  
Centre: Timberscapes Leeds  
Bottom right: Atkins Vause Blackburn

#### 08

Main: Timberscapes Leeds  
Top: Timberscapes Leeds  
Centre: Distinctive Landscapes Mansfield  
Bottom: Atkins Vause Blackburn

#### 09

Top centre: Atkins Vause Blackburn  
Top right: Atkins Vause Blackburn  
Right centre: Timberscapes Leeds  
Bottom right: Timberscapes Leeds

#### 10

Timberscapes Leeds

#### 11

Top: Atkins Vause Blackburn  
Left centre: GMS Leisure Ltd Truro  
Bottom left: Atkins Vause Blackburn  
Bottom right: GMS Leisure Ltd Truro

#### 12

Timberscapes Leeds

#### 13

Top: Timberscapes Leeds  
Centre: Timberscapes Leeds  
Bottom: Atkins Vause Blackburn

#### 16-19

Images courtesy of Trex®

#### Back cover

Timberscapes Leeds



This document has been printed on FSC certified material

